

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
Grantee Profile Cover Sheet	Grantee Legal Name	Name of legal recipient of Title X grant (organization name)				
Grantee Profile Cover Sheet	Address of Grantee Administrative Offices	Grantee organization's address and zip code				
Grantee Profile Cover Sheet	Title X Project Director	Name, title, address, phone number, email address for person responsible for the Title X project				
Grantee Profile Cover Sheet	Grantee Contact Person	Name, title, address, phone and fax numbers, email address of person who completed the FPAR				
Grantee Profile Cover Sheet	Number of Subgrantees	Number of subgrantees (delegates or subcontractors) receiving Title X funds under this grant				
Grantee Profile Cover Sheet	Number of Family Planning Service Sites	<p>Number of clinical sites supported by Title X funds under this project. Count and report any established unit, clinic, or non-clinic site where staff provide Title X services and where at least some of the encounters between the family planning providers and the individuals served meet the requirements of a family planning encounter. Established units include clinics, hospital outpatient departments, homeless shelters, detention and correctional facilities, and other locations where Title X agency staff provide these family planning services. Service sites may also include equipped mobile vans or schools. OPA assumes that each of the sites reported in the Grantee Profile contributes data to the grantee's FPAR.</p> <p>Check box if number of clinical sites stated cover sheet differs from number of sites stated in the original funding application. Free-text comment box available to explain discrepancies.</p>				
1: Unduplicated Number of Family Planning Users by Age Group and Sex	1A: Unduplicated female family planning users under age 15	Report the unduplicated number of female family planning users under age 15. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 13b, 14b, 15b	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients. Rows 13-15 represent ages of individuals under age 15 that may be most likely to receive family planning services, though it may be possible for younger individuals to receive such services.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
1: Unduplicated Number of Family Planning Users by Age Group and Sex	2A: Unduplicated female family planning users ages 15-17	Report the unduplicated number of female family planning users ages 15-17. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 16b, 17b, 18b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
1: Unduplicated Number of Family Planning Users by Age Group and Sex	3A: Unduplicated female family planning users ages 18-19	Report the unduplicated number of female family planning users ages 18-19. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 19b, 20b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	4A: Unduplicated female family planning users ages 20-24	Report the unduplicated number of female family planning users ages 20-24. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 21b, 22b, 23b, 24b, 25b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	5A: Unduplicated female family planning users ages 25-29	Report the unduplicated number of female family planning users ages 25-29. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cell 26b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	6A: Unduplicated female family planning users ages 30-34	Report the unduplicated number of female family planning users ages 30-34. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cell 27b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	7A: Unduplicated female family planning users ages 35-39	Report the unduplicated number of female family planning users ages 35-39. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cell 28b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	8A: Unduplicated female family planning users ages 40-44	Report the unduplicated number of female family planning users ages 40-44. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cell 29b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	9A: Unduplicated female family planning users over age 44	Report the unduplicated number of female family planning users over age 44. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 30b, 31b, 32b	Identify the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	10A: Total unduplicated female family planning users	Report the total number of unduplicated female family planning users (sum 1A+2A+3A+4A+5A+6A+7A+8A+9A)	3A: Patients by Age and Sex Assigned at Birth	Cells 13b-32b	Identify the unduplicated number of patients in these age categories that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all female health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	1B: Unduplicated male family planning users under age 15	Report the unduplicated number of male family planning users under age 15. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 13a, 14a, 15a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients. Rows 13-15 represent ages of individuals under age 15 that may be most likely to receive family planning services, though it may be possible for younger individuals to receive such services.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	2B: Unduplicated male family planning users ages 15-17	Report the unduplicated number of male family planning users ages 15-17. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 16a, 17a, 18a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	3B: Unduplicated male family planning users ages 18-19	Report the unduplicated number of male family planning users ages 18-19. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 19a, 20a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	4B: Unduplicated male family planning users ages 20-24	Report the unduplicated number of male family planning users ages 20-24. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 21a, 22a, 23a, 24a, 25a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	5B: Unduplicated male family planning users ages 25-29	Report the unduplicated number of male family planning users ages 25-29. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 26a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	6B: Unduplicated male family planning users ages 30-34	Report the unduplicated number of male family planning users ages 30-34. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 27a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	7B: Unduplicated male family planning users ages 35-39	Report the unduplicated number of male family planning users ages 35-39. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 28a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	8B: Unduplicated male family planning users ages 40-44	Report the unduplicated number of male family planning users ages 40-44. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 29a	Identify and report the unduplicated number of patients in this age category that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
1: Unduplicated Number of Family Planning Users by Age Group and Sex	9B: Unduplicated male family planning users over age 44	Report the unduplicated number of male family planning users over age 44. Categorize family planning users based on their age as of June 30 of the reporting period.	3A: Patients by Age and Sex Assigned at Birth	Cells 30a, 31a, 32a	Only report individuals that received family planning services on FPAR. Do not report all male health center patients. Rows 30-32 represent age categories for individuals over age 44 that may be most likely to receive family planning services, though it may be possible for older individuals to receive such services. Identify all patients that received family planning services for FPAR reporting. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
1: Unduplicated Number of Family Planning Users by Age Group and Sex	10B: Total unduplicated male family planning users	Report the total number of unduplicated male family planning users (sum 1B+2B+3B+4B+5B+6B+7B+8B+9B)	3A: Patients by Age and Sex Assigned at Birth	Cells 13a-32a	Identify and report the unduplicated number of patients in these age categories that received family planning services for FPAR reporting. Only report individuals that received family planning services on FPAR. Do not report all male health center patients.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
1: Unduplicated Number of Family Planning Users by Age Group and Sex	1C: Total unduplicated family planning users under age 15	Report the total number of unduplicated family planning users under age 15 (sum 1A+1B)	3A: Patients by Age and Sex Assigned at Birth	Cells 13a, 14a, 15a, 13b, 14b, 15b	Report the total unduplicated number of individuals under age 15 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
1: Unduplicated Number of Family Planning Users by Age Group and Sex	2C: Total unduplicated family planning users ages 15-17	Report the total number of unduplicated family planning users ages 15-17 (sum 2A+2B)	3A: Patients by Age and Sex Assigned at Birth	Cells 16a, 17a, 18a, 16b, 17b, 18b	Report the total unduplicated number of individuals ages 15-17 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
1: Unduplicated Number of Family Planning Users by Age Group and Sex	3C: Total unduplicated family planning users ages 18-19	Report the total number of unduplicated family planning users ages 18-19 (sum 3A+3B)	3A: Patients by Age and Sex Assigned at Birth	Cells 19a, 20a, 19b, 20b	Report the total unduplicated number of individuals ages 18-19 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	4C: Total unduplicated family planning users ages 20-24	Report the total number of unduplicated family planning users ages 20-24 (sum 4A+4B)	3A: Patients by Age and Sex Assigned at Birth	Cells 21a, 22a, 23a, 24a, 25a, 21b, 22b, 23b, 24b, 25b	Report the total unduplicated number of individuals ages 20-24 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	5C: Total unduplicated family planning users ages 25-29	Report the total number of unduplicated family planning users ages 25-29 (sum 5A+5B)	3A: Patients by Age and Sex Assigned at Birth	Cells 26a, 26b	Report the total unduplicated number of individuals ages 25-29 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	6C: Total unduplicated family planning users ages 30-34	Report the total number of unduplicated family planning users ages 30-34 (sum 6A+6B)	3A: Patients by Age and Sex Assigned at Birth	Cells 27a, 27b	Report the total unduplicated number of individuals ages 30-34 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	7C: Total unduplicated family planning users ages 35-39	Report the total number of unduplicated family planning users ages 35-39 (sum 7A+7B)	3A: Patients by Age and Sex Assigned at Birth	Cells 28a, 28b	Report the total unduplicated number of individuals ages 35-39 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	8C: Total unduplicated family planning users ages 40-44	Report the total number of unduplicated family planning users ages 40-44 (sum 8A+8B)	3A: Patients by Age and Sex Assigned at Birth	Cells 29a, 29b	Report the total unduplicated number of individuals ages 40-44 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	9C: Total unduplicated family planning users over age 44	Report the total number of unduplicated family planning users over age 44 (sum 9A+9B)	3A: Patients by Age and Sex Assigned at Birth	Cells 30a, 31a, 32a, 30b, 31b, 32b	Report the total unduplicated number of individuals over age 44 that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>1: Unduplicated Number of Family Planning Users by Age Group and Sex</b>	10C: Total unduplicated family planning users	Report the total number of unduplicated family planning users (sum 10A+10B)	3A: Patients by Age and Sex Assigned at Birth	Cells 13a-32a, 13b-32b	Report the total unduplicated number of individuals that received family planning services during the measurement period.	Both FPAR and UDS request individual's age as of June 30 of reporting year.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	1A: American Indian or Alaska Native AND Hispanic or Latino	Unduplicated number of female users that self-identify as American Indian or Alaska Native (AI/AN) AND Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4a	Report unduplicated number of female family planning users that self-identify as American Indian or Alaska Native (AI/AN) AND Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	1B: American Indian or Alaska Native NOT Hispanic or Latino	Unduplicated number of female users that self-identify as AI/AN but NOT Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4b	Report unduplicated number of female users that self-identify as AI/AN but NOT Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	1C: American Indian or Alaska Native and UNKNOWN Hispanic or Latino	Unduplicated number of female users that self-identify as AI/AN and have UNKNOWN/Not Reported Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4c	Report unduplicated number of female users that self-identify as AI/AN and have UNKNOWN/Not Reported Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	1D: TOTAL Female American Indian or Alaska Native	Sum of unduplicated female users that self-identify as AI/AN (sum 1A+1B+1C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4d	Report sum of unduplicated female users that self-identify as AI/AN.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	2A: Female Asian AND Hispanic or Latino	Unduplicated number of female family planning users that self-identify as Asian AND Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1a	Report unduplicated number of female family planning users that self-identify as Asian AND Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	2B: Female Asian NOT Hispanic or Latino	Unduplicated number of female family planning users that self-identify as Asian but NOT Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1b	Report unduplicated number of female family planning users that self-identify as Asian but NOT Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	2C: Female Asian and UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of female family planning users that self-identify as Asian and UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1c	Report unduplicated number of female family planning users that self-identify as Asian and UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	2D: TOTAL Female Asian	Sum of unduplicated female users that self-identify as Asian (sum 2A+2B+2C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1d	Report sum of unduplicated female users that self-identify as Asian.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	3A: Female Black or African American AND Hispanic or Latino	Unduplicated number of female family planning users that self identify as Black or African American AND Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3a	Report unduplicated number of female family planning users that self identify as Black or African American AND Hispanic or Latina	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	3B: Female Black or African American NOT Hispanic or Latino	Unduplicated number of female family planning users that self identify as Black or African American but NOT Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3b	Report unduplicated number of female family planning users that self identify as Black or African American but NOT Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	3C: Female Black or African American and UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of female family planning users that self identify as Black or African American but UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3c	Report unduplicated number of female family planning users that self identify as Black or African American but UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	3D: TOTAL Female Black or African American	Sum of unduplicated female family planning users that self identify as Black or African American (sum 3A+3B+3C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3d	Report sum of unduplicated female family planning users that self identify as Black or African American.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	4A: Female Native Hawaiian or Other Pacific Islander AND Hispanic or Latino	Unduplicated number of female family planning users that self identify as Native Hawaiian or Other Pacific Islander AND Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2a	Report unduplicated number of female family planning users that self identify as Native Hawaiian or Other Pacific Islander AND Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	4B: Female Native Hawaiian or Other Pacific Islander NOT Hispanic or Latino	Unduplicated number of female family planning users that self identify as Native Hawaiian or Other Pacific Islander but NOT Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2b	Report unduplicated number of female family planning users that self identify as Native Hawaiian or Other Pacific Islander but NOT Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.



FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	4C: Female Native Hawaiian or Other Pacific Islander but UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of female family planning users that self identify as Native Hawaiian or Other Pacific Islander and UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2c	Report unduplicated number of female family planning users that self identify as Native Hawaiian or Other Pacific Islander and UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	4D: TOTAL Female Native Hawaiian or Other Pacific Islander	Sum of unduplicated female family planning users that self identify as Native Hawaiian or Other Pacific Islander (Sum 4A+4B+4C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2d	Report sum of unduplicated female family planning users that self identify as Native Hawaiian or Other Pacific Islander.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	5A: Female White AND Hispanic or Latino	Unduplicated number of female family planning users that self identify as white and Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5a	Report unduplicated number of female family planning users that self identify as white and Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	5B: Female White NOT Hispanic or Latino	Unduplicated number of female family planning users that self identify as white but NOT Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5b	Report unduplicated number of female family planning users that self identify as white but NOT Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	5C: Female White UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of female family planning users that self identify as white and UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5c	Report unduplicated number of female family planning users that self identify as white and UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	5D: TOTAL Female White	Sum of unduplicated female family planning users that self identify as white (sum 5A+5B+5C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5d	Report sum of unduplicated female family planning users that self identify as white.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	6A: Female more than one race AND Hispanic or Latino	Unduplicated number of female family planning users that self identify as more than one race AND Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6a	Report unduplicated number of female family planning users that self identify as more than one race AND Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	6B: Female more than one race NOT Hispanic or Latino	Unduplicated number of female family planning users that self identify as more than one race but NOT Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6b	Report unduplicated number of female family planning users that self identify as more than one race but NOT Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	6C: Female more than one race UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of female family planning users that self identify as more than one race but UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6c	Report unduplicated number of female family planning users that self identify as more than one race but UNKNOWN/NOT REPORTED Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	6D: TOTAL Female more than one race	Sum of unduplicated number of female family planning users that self identify as more than one race (sum 6A+6B+6C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6d	Report sum of unduplicated number of female family planning users that self identify as more than one race.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	7A: Female Unknown/Not Reported Race AND Hispanic or Latino	Unduplicated number of female family planning users that have unknown/not reported race but self-identify as Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7a	Report unduplicated number of female family planning users that have unknown/not reported race but self-identify as Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	7B: Female Unknown/Not Reported Race NOT Hispanic or Latino	Unduplicated number of female family planning users that have unknown/not reported race and do NOT identify as Hispanic or Latina	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7b	Report unduplicated number of female family planning users that have unknown/not reported race and do NOT identify as Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	7C: Female Unknown/Not Reported Race UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of female family planning users that have unknown race AND unknown/not reported Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7c	Report unduplicated number of female family planning users that have unknown race AND unknown/not reported Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	7D: TOTAL Female Unknown/Not Reported Race	Sum of unduplicated female family planning users that have unknown/not reported race (Sum 7A+7B+7C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7d	Report unduplicated of unduplicated female family planning users that have unknown/not reported race.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	8A: TOTAL Female Users AND Hispanic or Latino	Sum unduplicated family planning users that self-identify as Hispanic or Latina (sum 1A+2A+3A+4A+5A+6A+7A)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8a	Report sum unduplicated family planning users that self-identify as Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	8B: TOTAL Female Users NOT Hispanic or Latino	Sum unduplicated family planning users that do not self-identify as Hispanic or Latina (sum 1B+2B+3B+4B+5B+6B+7B)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8b	Report sum unduplicated family planning users that do not self-identify as Hispanic or Latina.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	8C: TOTAL Female Users UNKNOWN/Not Reported Hispanic or Latino	Sum unduplicated family planning users with unknown/not reported Hispanic or Latina ethnicity (sum 1C+2C+3C+4C+5C+6C+7C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8c	Report sum unduplicated family planning users with unknown/not reported Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>2: Unduplicated Number of Female Family Planning Users by Race and Ethnicity</b>	8D: TOTAL Female Users	Sum all race totals AND ethnicity totals (8A+8B+8C+1D+2D+3D+4D+5D+6D+7D)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8d	Report sum all unduplicated female family planning users.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	1A: Male American Indian or Alaska Native AND Hispanic or Latino	Unduplicated number of male users that self-identify as American Indian or Alaska native (AI/AN) AND Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4a	Report unduplicated number of male users that self-identify as American Indian or Alaska native (AI/AN) AND Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	1B: Male American Indian or Alaska Native NOT Hispanic or Latino	Unduplicated number of male users that self-identify as AI/AN but NOT Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4b	Report unduplicated number of male users that self-identify as AI/AN but NOT Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	1C: Male American Indian or Alaska Native and UNKNOWN Hispanic or Latino	Unduplicated number of male users that self-identify as AI/AN and have UNKNOWN/Not Reported Hispanic or Latina ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4c	Report unduplicated number of male users that self-identify as AI/AN and have UNKNOWN/Not Reported Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	1D: TOTAL male American Indian or Alaska Native	Sum of unduplicated male users that self-identify as AI/AN (sum 1A+1B+1C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	4d	Report sum of unduplicated male users that self-identify as AI/AN.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	2A: Male Asian AND Hispanic or Latino	Unduplicated number of male family planning users that self-identify as Asian AND Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1a	Report unduplicated number of male family planning users that self-identify as Asian AND Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	2B: Male Asian NOT Hispanic or Latino	Unduplicated number of male family planning users that self-identify as Asian but NOT Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1b	Report unduplicated number of male family planning users that self-identify as Asian but NOT Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	2C: Male Asian and UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of male family planning users that self-identify as Asian and UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1c	Report unduplicated number of male family planning users that self-identify as Asian and UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	2D: TOTAL male Asian	Sum of unduplicated male users that self-identify as Asian (sum 2A+2B+2C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	1d	Report sum of unduplicated male family planning users that self-identify as Asian.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	3A: Male Black or African American AND Hispanic or Latino	Unduplicated number of male family planning users that self identify as Black or African American AND Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3a	Report unduplicated number of male family planning users that self identify as Black or African American AND Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	3B: Male Black or African American NOT Hispanic or Latino	Unduplicated number of male family planning users that self identify as Black or African American but NOT Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3b	Report unduplicated number of male family planning users that self identify as Black or African American but NOT Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	3C: Male Black or African American and UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of male family planning users that self identify as Black or African American but UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3c	Report unduplicated number of male family planning users that self identify as Black or African American but UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	3D: TOTAL male Black or African American	Sum of unduplicated male family planning users that self identify as Black or African American (sum 3A+3B+3C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	3d	Report sum of unduplicated male family planning users that self identify as Black or African American.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	4A: Male Native Hawaiian or Other Pacific Islander AND Hispanic or Latino	Unduplicated number of male family planning users that self identify as Native Hawaiian or Other Pacific Islander AND Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2a	Report unduplicated number of male family planning users that self identify as Native Hawaiian or Other Pacific Islander AND Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	4B: Male Native Hawaiian or Other Pacific Islander NOT Hispanic or Latino	Unduplicated number of male family planning users that self identify as Native Hawaiian or Other Pacific Islander but NOT Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2b	Report unduplicated number of male family planning users that self identify as Native Hawaiian or Other Pacific Islander but NOT Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	4C: Male Native Hawaiian or Other Pacific Islander but UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of male family planning users that self identify as Native Hawaiian or Other Pacific Islander and UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2c	Report unduplicated number of male family planning users that self identify as Native Hawaiian or Other Pacific Islander and UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	4D: TOTAL male Native Hawaiian or Other Pacific Islander	Sum of unduplicated male family planning users that self identify as Native Hawaiian or Other Pacific Islander (Sum 4A+4B+4C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	2d	Report sum of unduplicated male family planning users that self identify as Native Hawaiian or Other Pacific Islander.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	5A: Male White AND Hispanic or Latino	Unduplicated number of male family planning users that self identify as white and Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5a	Report unduplicated number of male family planning users that self identify as white and Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	5B: Male White NOT Hispanic or Latino	Unduplicated number of male family planning users that self identify as white but NOT Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5b	Report unduplicated number of male family planning users that self identify as white but NOT Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	5C: Male White UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of male family planning users that self identify as white and UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5c	Report unduplicated number of male family planning users that self identify as white and UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	5D: TOTAL Male White	Sum of unduplicated male family planning users that self identify as white (sum 5A+5B+5C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	5d	Report sum of unduplicated female family planning users that self identify as white.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	6A: Male more than one race AND Hispanic or Latino	Unduplicated number of male family planning users that self identify as more than one race AND Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6a	Report unduplicated number of male family planning users that self identify as more than one race AND Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	6B: Male more than one race NOT Hispanic or Latino	Unduplicated number of male family planning users that self identify as more than one race but NOT Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6b	Report unduplicated number of male family planning users that self identify as more than one race but NOT Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	6C: Male more than one race UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of male family planning users that self identify as more than one race but UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6c	Report unduplicated number of male family planning users that self identify as more than one race but UNKNOWN/NOT REPORTED Hispanic or Latino ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	6D: TOTAL male more than one race	Sum of unduplicated number of male family planning users that self identify as more than one race (sum 6A+6B+6C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	6d	Report sum of unduplicated number of male family planning users that self identify as more than one race.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	7A: Male Unknown/Not Reported Race AND Hispanic or Latino	Unduplicated number of male family planning users that have unknown/not reported race but self-identify as Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7a	Report unduplicated number of male family planning users that have unknown/not reported race but self-identify as Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	7B: Male Unknown/Not Reported Race NOT Hispanic or Latino	Unduplicated number of male family planning users that have unknown/not reported race and do NOT identify as Hispanic or Latino	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7b	Report unduplicated number of male family planning users that have unknown/not reported race and do NOT identify as Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	7C: Male Unknown/Not Reported Race UNKNOWN/NOT REPORTED Hispanic or Latino	Unduplicated number of male family planning users that have unknown race AND unknown/not reported Hispanic or Latino ethnicity	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7c	Report unduplicated number of male family planning users that have unknown race AND unknown/not reported Hispanic or Latino ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	7D: TOTAL male Unknown/Not Reported Race	Sum of unduplicated male family planning users that have unknown/not reported race (Sum 7A+7B+7C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	7d	Report sum of unduplicated male family planning users that have unknown/not reported race.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	8A: TOTAL male Users AND Hispanic or Latino	Sum of unduplicated male family planning users that self-identify as Hispanic or Latino (sum 1A+2A+3A+4A+5A+6A+7A)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8a	Report sum of unduplicated male family planning users that self-identify as Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	8B: TOTAL male Users NOT Hispanic or Latino	Sum unduplicated male family planning users that do not self-identify as Hispanic or Latino (sum 1B+2B+3B+4B+5B+6B+7B)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8b	Report sum of unduplicated male family planning users that do not self-identify as Hispanic or Latino.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	8C: TOTAL male Users UNKNOWN/Not Reported Hispanic or Latino	Sum unduplicated male family planning users with unknown/not reported Hispanic or Latina ethnicity (sum 1C+2C+3C+4C+5C+6C+7C)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8c	Report sum unduplicated male family planning users with unknown/not reported Hispanic or Latina ethnicity.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>3: Unduplicated MALE Users by Race and Ethnicity</b>	8D: TOTAL male Users	Sum of all male users: race AND ethnicity totals (8A+8B+8C+1D+2D+3D+4D+5D+6D+7D)	3B: Demographic Characteristics Patients by Race and Hispanic or Latino Ethnicity	8d	Report sum of all unduplicated male family planning users.	The categories in table 3B for race and ethnicity is the same for FPAR and UDS, but FPAR requires reporting by patient sex; UDS only requires patient totals for this table. Disaggregate Table 3B to report female family planning users by race and ethnicity to FPAR Table 2.
<b>4: Unduplicated Family Planning Users by Income Level</b>	1A: Number of users 100% or below FPL	Unduplicated number of male and female users (total) with a family income of 100% or below federal poverty guidelines	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cell 1a	Identify the number of individuals who accessed family planning services during the measurement period who had incomes under 100% of the poverty guideline.	Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>4: Unduplicated Family Planning Users by Income Level</b>	2A: Number of users 101%-150% FPL	Unduplicated number of male and female users (total) with a family income of 101% to 150% of the federal poverty guidelines	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cell 2a	Identify the number of individuals who accessed family planning services during the measurement period who had incomes between 101%-150% of the poverty guideline.	Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>4: Unduplicated Family Planning Users by Income Level</b>	3A: Number of users 151%-200% FPL	Unduplicated number of male and female users (total) with a family income of 151% to 200% of the federal poverty guidelines	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cell 3a	Identify the number of individuals who accessed family planning services during the measurement period who had incomes between 150%-200% of the poverty guideline.	Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
4: Unduplicated Family Planning Users by Income Level	4A: Number of users 201%-250% FPL	Unduplicated number of male and female users (total) with a family income of 201% to 250% of the federal poverty guidelines	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cell 4a*	Disaggregate cell 4a to identify the number of individuals who accessed family planning services during the measurement period who had incomes between 201-250% of the poverty guideline.	*FPAR requires one additional income category for patients with incomes at 201-250% FPL.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
4: Unduplicated Family Planning Users by Income Level	5A: Number of users over 250% FPL	Unduplicated number of male and female users (total) with a family income over 250% of the federal poverty guidelines	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cell 4a*	Disaggregate cell 4a to identify the number of individuals who accessed family planning services during the measurement period who had incomes over 250% of the poverty guideline.	*FPAR requires one additional income category for patients with incomes at 201-250% FPL.  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.*
4: Unduplicated Family Planning Users by Income Level	6A: Number of users with unknown/not reported income	Unduplicated number of male and female users (total) with an unknown/not reported family	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cell 5a	Identify the number of individuals who accessed family planning services during the measurement period who had unknown incomes.	Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
4: Unduplicated Family Planning Users by Income Level	7A: Total number of users	Total number of family planning users (sum 1A+2A+3A+4A+5A+6A)	4: Selected Patient Characteristics Income as Percent of Poverty Guideline	Cells 1a, 2a, 3a, 4a, 5a	Report the total number of individuals who accessed family planning services during the measurement period (all income levels).	The sum calculated here should match the total reported on FPAR Table 1, cell 10c (total family planning users) using Table 3a cells 13a-32a, 13b-32b .  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
5: Unduplicated number of family planning users by principal health insurance coverage status	1A: Public health insurance covering primary care	Unduplicated number of male and female users that self report having public health insurance coverage. Public health insurance includes Medicaid, Medicare, CHIP, other state or local insurance plans, as well as public-paid or public-subsidized health plans.	4: Selected Patient Characteristics Principle Third-Party Medical Insurance	Row 10 (a+b) Total Public Insurance	Report the total number of individuals with publicly-funded medical insurance who accessed family planning services during the measurement period.	Guidance for reporting public insurance is the same across FPAR and UDS (e.g., treatment of Medicaid-funded private insurance plans). Note: Include family planning users of all ages when reporting to FPAR Table 5.
5: Unduplicated number of family planning users by principal health insurance coverage status	2A: Private health insurance covering primary care	Unduplicated number of male and female users that self-report having private insurance coverage. Private insurance plans purchased for public employees and military personnel are considered to be private plans (e.g., TRICARE and CHAMPVA).	4: Selected Patient Characteristics Principle Third-Party Medical Insurance	Row 11 (a+b) Private Insurance	Report the total number of individuals with a private insurance plan who accessed family planning services during the measurement period.	Guidance for reporting private insurance is the same across FPAR and UDS (e.g., inclusion of insurance purchased for public employees).  Note: Include family planning users of all ages when reporting to FPAR Table 5.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>5: Unduplicated number of family planning users by principal health insurance coverage status</b>	3A: Uninsured (no public or private insurance)	Unduplicated number of male and female users that self-report not having a public or private health insurance plan that covers a broad set of primary care services. Individuals who are subsidized through state or local indigent care programs or clients insured by the Indian Health Services who obtain at a non-participating facility are considered uninsured.	4: Selected Patient Characteristics Principle Third-Party Medical Insurance	Row 7 (a+b) None/Uninsured	Report the total number of individuals with no third-party medical insurance plan who accessed family planning services during the measurement period.	Note: Include family planning users of all ages when reporting to FPAR Table 5.
<b>5: Unduplicated number of family planning users by principal health insurance coverage status</b>	4A: Unknown/Not reported insurance	Unduplicated number of male and female users with unknown/not reported health insurance coverage.	4: Selected Patient Characteristics Principle Third-Party Medical Insurance			There is no Unknown insurance category in UDS. It may be possible to deduce this number by subtracting the number of family planning patients reported on rows 7, 10, and 11 of UDS Table 4 from the total number of family planning users served, as reported on FPAR tables 1 (cell 7A) and 4 (cell 10C). Note in FPAR comment field that this is an estimate, if it is not possible to obtain the number of individuals with unknown insurance from health center data sources.
<b>5: Unduplicated number of family planning users by principal health insurance coverage status</b>	5A: Total number of users	Total number of family planning users (sum 1A+2A+3A+4A)	4: Selected Patient Characteristics Principle Third-Party Medical Insurance			The "total" category on row 12 is not equivalent to the total number of family planning users that should be reported on FPAR Table 5. Attempt to determine the number of individuals with unknown insurance, and sum the number of individuals reported in rows 7, 10, and 11 to report to FPAR Table 5 cell 5A.
<b>6: Unduplicated number of family planning users with Limited English Proficiency (LEP)</b>	1A: LEP users	Unduplicated number of male and female family planning users who were best served in a language other than English or had limited ability to read, write, speak, or understand English. Such clients likely required assistance services (interpretation and translation) to optimize their use of Title X services. Include in this category any family planning user that received services from clinical staff in the user's preferred language, utilized any interpretation/translation services provided by the clinic, or who used a family member or friend as an interpreter during their visit. Do not include any users who were visually or hearing impaired.	3B: Demographic Characteristics Patients By Linguistic Barriers to Care	Row 12a	Report the total number of individuals best served in a language other than English who accessed family planning services during the measurement period.	Guidance for reporting individuals best served in a language other than English is aligned across FPAR and UDS. UDS has additional criteria that are not mentioned in FPAR reporting: Include individuals best served in sign language and those who reside in areas where a language other than English is the dominant language (e.g., Puerto Rico or the Pacific Islands).  Note: FPAR only includes information on individuals that received family planning services as part of a Title X project, while UDS reporting includes individuals that received all/specific health center services as part of a Section 330 project. It may be possible to find family planning patients by searching for ICD10 Z30.-- codes, as reported in UDS Table 6A, line 25 for contraceptive management.
<b>6: Unduplicated number of family planning users with Limited English Proficiency (LEP)</b>	2A: Not LEP users	Unduplicated number of male and female family planning users who did not require assistance services (interpretation and translation) to utilize Title X services.				Not in UDS
<b>6: Unduplicated number of family planning users with Limited English Proficiency (LEP)</b>	3A: Unknown/Not Reported	Unduplicated number of male and female family planning users with unknown/not reported LEP status				Not in UDS
<b>6: Unduplicated number of family planning users with Limited English Proficiency (LEP)</b>	4A: Total number of users	Total number of family planning users (sum 1A+2A+3A)				Report the total number of family planning users served during the measurement period.
<b>7: Unduplicated Number of Female Family Planning Users by Primary Method and Age Group</b>	<i>Click the "+" button on left pane to view collapsed group of Table 7 cells</i>					
<b>8: Unduplicated Number of Male Family Planning Users by Primary Method and Age Group</b>	<i>Click the "+" button on left pane to view collapsed group of Table 8 cells</i>					



FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
9: Cervical Cancer Screening Activities	1A: Unduplicated number of female users who obtained a Pap test	Unduplicated number of female family planning users who obtained a Pap test during the measurement period	6A: Selected Services Rendered	Cell 23b	Report the unduplicated number of female family planning patients that received a Pap test during the measurement period. Calculate this subset of patients using cell 23b from UDS.	
9: Cervical Cancer Screening Activities	2A: Number of Pap tests performed	Total number of Pap tests performed during the measurement period	6A: Selected Services Rendered	Cell 23a	Report the total number of Pap tests conducted on female family planning patients. Calculate this subset from visits reported in Table 6A, cell 23a.	
9: Cervical Cancer Screening Activities	3A: Number of Pap tests with an ASC test result or higher	Number of Pap tests with an ASC or higher result according to the 2014 Bethesda System. ASC or higher results include ASC-US; ASC-H; LSIL; HSIL; squamous cell carcinoma; AGC; AGC, favor neoplastic; endocervical AIS; adenocarcinoma; or other malignant neoplasms. Note: this cell includes the number of tests reported with an HSIL or higher result	6A: Selected Services Rendered	Cell 8a	Report the number of Pap tests conducted on female family planning users that had an ASC or higher result. Calculate this subset using UDS table 6A, cell 8a.	FPAR classifies abnormal cervical findings according to the 2014 Bethesda System. ASC or higher results include ASC-US; ASC-H; LSIL; HSIL; squamous cell carcinoma; AGC; AGC, favor neoplastic; endocervical AIS; adenocarcinoma; or other malignant neoplasms. UDS suggests searching for ICD10CM codes C53-, C79.82, D06-, R87.61-, R87.629, R87.810, R87.820 for abnormal cervical findings.
9: Cervical Cancer Screening Activities	4A: Number of Pap tests with an HSIL or higher result	Number of Pap tests with an HSIL or higher result according to the 2014 Bethesda System. HSIL or higher results include HSIL; squamous cell carcinoma; AGC; AGC, favor neoplastic; endocervical AIS; adenocarcinoma; or other malignant neoplasms	6A: Selected Services Rendered	Cell 8a	Report the number of Pap tests conducted on female family planning users that had an HSIL or higher result. Calculate this subset using UDS table 6A, cell 8a.	FPAR classifies abnormal cervical findings according to the 2014 Bethesda System. HSIL or higher results include HSIL; squamous cell carcinoma; AGC; AGC, favor neoplastic; endocervical AIS; adenocarcinoma; or other malignant neoplasms. UDS suggests searching for ICD10CM codes C53-, C79.82, D06-, R87.61-, R87.629, R87.810, R87.820 for abnormal cervical findings.
10: Breast Cancer Screening and Referral Activities	1A: Unduplicated number of female users receiving a clinical breast exam (CBE)	Unduplicated number of female family planning users who had a clinical breast exam during the measurement period. Note: if an agency has bundled billing service codes and cannot obtain a specific number of CBEs performed, estimate the number of CBEs and mention this limitation in the FPAR notes section for Table 10	6A: Selected Diagnoses	*Row 7 Abnormal breast findings, female		*FPAR requests the number of patients that had a clinical breast exam. UDS captures number of patients with abnormal breast findings (diagnoses), which is more precise than the FPAR data element. Note: if an agency has bundled billing service codes and cannot obtain a specific number of CBEs performed, estimate the number of CBEs and mention this limitation in the FPAR notes section for Table 10.
10: Breast Cancer Screening and Referral Activities	2A: Unduplicated number of female users referred for further evaluation based on CBE results	Unduplicated number of female family planning users referred for further testing or evaluation based on findings from a CBE during the measurement period	6A: Selected Diagnoses	7b Abnormal breast findings, female	Report the number of unduplicated female family planning patients that had abnormal breast findings using UDS table 6A, cell 7b.	FPAR requests the number of patients referred based on results from a clinical breast exam. UDS captures number of patients with abnormal breast findings (diagnoses), which is more precise than the FPAR data element. If the health center cannot determine how many female family planning users were referred for clinical testing based on a clinical breast exam, UDS suggests identifying patients with abnormal breast findings using ICD10CM codes C50.01-, C50.11-, C50.21-, C50.31-, C50.41-, C50.51-, C50.61-, C50.81-, C50.91-, C79.81, D05-, D48.6-, D49.3-, N60-, N63-, R92-
11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex	1A: Unduplicated number of female family planning users under age 15 years tested for chlamydia	Unduplicated number of female family planning users under age 15 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for female family planning patients under age 15. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex	2A: Unduplicated number of female family planning users ages 15 to 17 years tested for chlamydia	Unduplicated number of female family planning users ages 15 to 17 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for female family planning patients ages 15-17. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	3A: Unduplicated number of female family planning users ages 18 to 19 years tested for chlamydia	Unduplicated number of female family planning users ages 18 to 19 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for female family planning patients ages 18-19. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	4A: Unduplicated number of female family planning users ages 20 to 24 years tested for chlamydia	Unduplicated number of female family planning users ages 20 to 24 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for female family planning patients ages 20-24. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	5A: Unduplicated number of female family planning users over age 25 years or older tested for chlamydia	Unduplicated number of female family planning users over age 25 years or older tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for female family planning patients over age 25. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	6A: Total unduplicated number of female family planning users tested for chlamydia	Total unduplicated number of female family planning users tested for chlamydia (sum 1A+2A+3A+4A+5A)	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for female family planning patients. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	1B: Unduplicated number of male family planning users under age 15 years tested for chlamydia	Unduplicated number of male family planning users under age 15 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for male family planning patients under age 15. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	2B: Unduplicated number of male family planning users ages 15 to 17 years tested for chlamydia	Unduplicated number of male family planning users ages 15 to 17 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for male family planning patients ages 15-17. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	3B: Unduplicated number of male family planning users ages 18 to 19 years tested for chlamydia	Unduplicated number of male family planning users ages 18 to 19 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for male family planning patients ages 18-19. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	4B: Unduplicated number of male family planning users ages 20 to 24 years tested for chlamydia	Unduplicated number of male family planning users ages 20 to 24 years tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for male family planning patients ages 20-24. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	5B: Unduplicated number of male family planning users over age 25 years or older tested for chlamydia	Unduplicated number of male family planning users over age 25 years or older tested for chlamydia. Report only the tests performed on individuals that meet the definition of a family planning user.	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for male family planning patients over age 25. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>11: Unduplicated Number of Family Planning Users Tested for Chlamydia by Age Group and Sex</b>	6B: Total unduplicated number of male family planning users tested for chlamydia	Total unduplicated number of male family planning users tested for chlamydia (sum 1B+2B+3B+4B+5B)	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of chlamydia tests conducted for male family planning patients. ICD10CM codes A55-56 indicate chlamydial infection diagnoses.
<b>12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests</b>	1A: Female Gonorrhea tests	Total number of gonorrhea tests performed on female family planning users	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of gonorrhea tests conducted for female family planning patients. ICD10CM code A54 indicates gonorrhea diagnosis.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	2A: Female Syphilis tests	Total number of syphilis tests performed on female family planning users	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of syphilis tests conducted for female family planning patients. ICD10CM code A50-53 indicates syphilis diagnosis.
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	3A: Female - All Confidential HIV Tests	Total number of confidential HIV tests performed on female family planning users. Report all tests, rapid and confirmatory. If an off-site laboratory performs a confirmatory test using the same specimen used for the initial test, only report the confirmatory test if 1) the provider has billing or other transaction records to document that the laboratory performed a second/confirmatory test, and 2) compiling and reporting confirmatory test counts do not pose an undue burden. Grantees should use the Table 12 "Note" field to explain if HIV test counts exclude confirmatory tests.	6A: Selected Diagnoses	Cell 21b	Report the total number of confidential HIV tests conducted for female family planning patients to FPAR. Calculate this subset using line 21b from UDS.	Do not report tests performed in an STD clinic operated by the Title X-funded agency, unless the activities of the STD clinic are within the defined scope of the agency's Title X project.
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	1B: Male Gonorrhea tests	Total number of gonorrhea tests performed on male family planning users	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of gonorrhea tests conducted for male family planning patients. ICD10CM code A54 indicates gonorrhea diagnosis.
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	2B: Male Syphilis tests	Total number of syphilis tests performed on male family planning users	6A: Selected Diagnoses	*Row 4		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of syphilis tests conducted for male family planning patients. ICD10CM code A50-53 indicates syphilis diagnosis.
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	3B: Male - All Confidential HIV Tests	Total number of confidential HIV tests performed on male family planning users. Report all tests, rapid and confirmatory. If an off-site laboratory performs a confirmatory test using the same specimen used for the initial test, only report the confirmatory test if 1) the provider has billing or other transaction records to document that the laboratory performed a second/confirmatory test, and 2) compiling and reporting confirmatory test counts do not pose an undue burden. Grantees should use the Table 12 "Note" field to explain if HIV test counts exclude confirmatory tests.	6A: Selected Diagnoses	Cell 21b	Report the total number of confidential HIV tests conducted for male family planning patients to FPAR. Calculate this subset using line 21b from UDS.	Do not report tests performed in an STD clinic operated by the Title X-funded agency, unless the activities of the STD clinic are within the defined scope of the agency's Title X project.
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	1C: Total Gonorrhea tests	Total number of gonorrhea tests performed on all family planning users (sum 1A+1B)	6A: Selected Diagnoses	Row 4*		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of gonorrhea tests conducted for family planning patients. ICD10CM code A54 indicates gonorrhea diagnosis.
12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests	2C: Total Syphilis tests	Total number of syphilis tests performed on all family planning users (sum 2A+2B)	6A: Selected Diagnoses	Row 4*		*Row 4 captures STD diagnoses, but not the number of STD tests. If possible, identify the total number of syphilis tests conducted for family planning patients. ICD10CM code A50-53 indicates syphilis diagnosis.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
<b>12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests</b>	3C: Total - All Confidential HIV Tests	Total confidential HIV tests performed on all family planning users (sum 3A+3B)	6A: Selected Diagnoses	Cell 21a	Report the total number of confidential HIV tests conducted for family planning patients to FPAR. Calculate this subset using line 21a from UDS.	Do not report tests performed in an STD clinic operated by the Title X-funded agency, unless the activities of the STD clinic are within the defined scope of the agency's Title X project. To the extent possible, a grantee should report all HIV tests—initial and confirmatory—performed within the scope of their Title X projects, including HIV tests performed on site and tests for which a specimen is collected on site and analyzed off site (e.g., laboratory). If an offsite laboratory performs a confirmatory test using the same specimen obtained for the initial test, grantees should not count the confirmatory test unless (1) the provider has billing or other transaction records to document that the laboratory performed a second/confirmatory test and (2) compiling and reporting confirmatory test counts do not pose an undue burden. Grantees should use the Table 12 "Note" field to explain if HIV test counts exclude confirmatory tests.
<b>12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests</b>	4C: Total - Positive confidential HIV Tests	The total number of confidential positive HIV tests should include only the number of standard (i.e., not rapid) HIV tests with a positive result and the number of preliminary positive rapid HIV tests confirmed to be positive.	6A: Selected Diagnoses	Lines 1-2	Report the number of positive HIV diagnoses from tests conducted at the health center for family planning patients.	To the extent possible, a grantee should report all HIV tests—initial and confirmatory—performed within the scope of their Title X projects, including HIV tests performed on site and tests for which a specimen is collected on site and analyzed off site (e.g., laboratory). If an offsite laboratory performs a confirmatory test using the same specimen obtained for the initial test, grantees should not count the confirmatory test unless (1) the provider has billing or other transaction records to document that the laboratory performed a second/confirmatory test and (2) compiling and reporting confirmatory test counts do not pose an undue burden. Grantees should use the Table 12 "Note" field to explain if HIV test counts exclude confirmatory tests.
<b>12: Number of Tests for Gonorrhea, Syphilis, and HIV and Number of Positive Confidential HIV Tests</b>	5C: Total - HIV anonymous tests	Total number of anonymous HIV tests conducted for family planning users.	6A: Selected Diagnoses			Not captured by UDS
<b>13: Number of Full-Time Equivalent Clinical Services Providers and Family Planning Encounters by Type of Provider</b>	1aA: Clinical Services Providers- Number of FTE Physicians	Report the time in FTEs for physicians that are involved in the direct provision of Title X-funded services (i.e., engaged in a family planning encounter). A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations, especially clinicians, should be calculated based on the organization's established base for that position. In addition, FTEs are adjusted for part-time work or for part-year employment.	5: Staffing and Utilization Personnel by Major Service Category	Row 8: Total Physicians	Report the time in FTEs for physicians that are involved in the direct provision of Title X-funded services (i.e., engaged in a family planning encounter).	A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations, especially clinicians, should be calculated based on the organization's established base for that position. In addition, FTEs are adjusted for part-time work or for part-year employment.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
13: Number of Full-Time Equivalent Clinical Services Providers and Family Planning Encounters by Type of Provider	1bA: Clinical Services Providers-Number of FTE Physician assistants/nurse practitioners/certified nurse midwives	Report the time in FTEs for physician assistants, nurse practitioners, and certified nurse midwives that are involved in the direct provision of Title X-funded services (i.e., engaged in a family planning encounter). A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations, especially clinicians, should be calculated based on the organization's established base for that position. In addition, FTEs are adjusted for part-time work or for part-year employment.	5: Staffing and Utilization Personnel by Major Service Category	Row 10a: Total NPs, PAs, and CNMs	Report the time in FTEs for NPs, and Certified Nurse Midwives that are involved in the direct provision of Title X-funded services (i.e., engaged in a family planning encounter).	A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations, especially clinicians, should be calculated based on the organization's established base for that position. In addition, FTEs are adjusted for part-time work or for part-year employment.
13: Number of Full-Time Equivalent Clinical Services Providers and Family Planning Encounters by Type of Provider	1cA: Clinical Services Providers-Registered nurses with an expanded scope of practice who are trained and permitted by state-specific regulations to perform all aspects of the user physical assessment	Report the time in FTEs for registered nurses with an expanded scope of practice that are involved in the direct provision of Title X-funded services (i.e., engaged in a family planning encounter). A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations, especially clinicians, should be calculated based on the organization's established base for that position. In addition, FTEs are adjusted for part-time work or for part-year employment.	5: Staffing and Utilization Personnel by Major Service Category	9a Nurse Practitioners	If possible, identify Advance Practice Nurses from the FTEs reported on line 9a of UDS, a category that combines FTEs for Nurse Practitioners and Advance Practice Nurses.	A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations, especially clinicians, should be calculated based on the organization's established base for that position. In addition, FTEs are adjusted for part-time work or for part-year employment.
13: Number of Full-Time Equivalent Clinical Services Providers and Family Planning Encounters by Type of Provider	1B: Number of family planning encounters with Clinical Services Providers	Report the total number of face-to-face encounters between a family planning user and a clinical services provider during the measurement period. Note: A client may have only one family planning encounter per visit. In the family planning services setting, the term "encounter" is synonymous with "visit." Although a client may meet with both Clinical and Other Services Providers during an encounter, only one provider is credited with the encounter. The provider with the highest level of training who takes ultimate responsibility for the client's clinical or non-clinical assessment and care during the visit is credited with the encounter.	5: Staffing and Utilization Personnel by Major Service Category	Cells 8b + 10a(b)	Report the total number of face-to-face encounters between an individual that received family planning services and a clinical services provider during the measurement period.	
13: Number of Full-Time Equivalent Clinical Services Providers and Family Planning Encounters by Type of Provider	2B: Number of family planning encounters with Other Services Providers	Report the total number of face-to-face encounters between a family planning user and a clinical services provider during the measurement period. Note: A client may have only one family planning encounter per visit. In the family planning services setting, the term "encounter" is synonymous with "visit." Although a client may meet with both Clinical and Other Services Providers during an encounter, only one provider is credited with the encounter. The provider with the highest level of training who takes ultimate responsibility for the client's clinical or non-clinical assessment and care during the visit is credited with the encounter. Registered nurses without an expanded scope of practice and other types of nurses (e.g., LPN, LVN, public health nurse, health educators, social workers, clinical aides) are staff types that may interact with family planning patients and are considered "other services providers"	5: Staffing and Utilization Personnel by Major Service Category	Cells 11b and 12b (if possible)	Report the total number of face-to-face encounters between an individual that received family planning services and a non-clinical services provider, including nurses and "other medical personnel" during the measurement period.	
13: Number of Full-Time Equivalent Clinical Services Providers and Family Planning Encounters by Type of Provider	3B: Total number of family planning encounters	Total number of family planning encounters with all services providers (sum 1B+2B)	5: Staffing and Utilization Personnel by Major Service Category	Cell 15b	Report the total number of face-to-face encounters between an individual that received family planning services and medical personnel.	Note: UDS Table 6A Selected Services Rendered, line 25, includes the number of contraceptive management encounters. The number of family planning encounters reported to FPAR should be the same as or greater than the total number of contraceptive management encounters reported on UDS Table 6A.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
14: Revenue Report	1: Title X grant (Section 1001: family planning services)	Report the amount received (cash receipts or drawdown amounts) during the reporting period from the Title X services grant. Include base Title X grant funding and other Title X funding for special initiatives (e.g., HIV integration and male involvement). Do not report the amount of grant funds awarded unless this figure is the same as the actual cash receipts or drawdown amounts. NOTE for Table 14: Report the revenues (i.e., actual cash receipts or drawdown amounts) received during the reporting period from each funding source to support activities within the scope of the grantee's Title X services grant (Section 1001), even if the funds were not expended during the reporting period. Include (1) all receipts from the Title X services grant; (2) collections from patients and reimbursements from third parties for services rendered; and (3) receipts from other sources, including block grants, state and local governments, and other sources. If the value for a cell is zero, enter "0." The agency must retain for audit purposes all worksheets that document how the agency derived the reported amounts. Do not report the monetary value of in-kind contributions as revenue in Table 14.	9D: Patient Related Revenue	*Rows 7-9	Report the amount received (cash receipts or drawdown amounts) during the reporting period from the Title X services grant. Include base Title X grant funding and other Title X funding for special initiatives (e.g., HIV integration and male involvement). Do not report the amount of grant funds awarded unless this figure is the same as the actual cash receipts or drawdown amounts.	UDS instructs grantees to report Title X on lines 7-9, "Other Public" payer category. Identify and report Title X revenues to FPAR.  NOTE for FPAR Table 14: Report the revenues (i.e., actual cash receipts or drawdown amounts) received during the reporting period from each funding source to support activities within the scope of the grantee's Title X services grant (Section 1001), even if the funds were not expended during the reporting period.
14: Revenue Report	2: Total client collections/self-pay	Report the amount collected directly from clients during the reporting period for services provided within the scope of the grantee's Title X project.	9D: Patient Related Revenue	Line number 13	Report the amount collected directly from patients during the reporting period for services provided within the scope of the grantee's Title X project.	
14: Revenue Report	3aA: Medicaid Prepaid	Report the amount received from Medicaid (federal and state shares) during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicaid or through a fiscal intermediary or a health maintenance organization (HMO). Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.	9D: Patient Related Revenue	Line number 2a	Report the amount received from Medicaid (federal and state shares) during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicaid or through a fiscal intermediary or a health maintenance organization (HMO). Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.	UDS instructs grantees to report Medicaid and CHIP revenues together. FPAR requests CHIP and Medicaid revenues separately. Attempt to separate Medicaid and CHIP revenues on FPAR Table 14. If the grantee is unable to do this, include a note in the Table 14 "Note" field.
14: Revenue Report	3bA: Medicare Prepaid	Report the amount received from Medicare during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicare or through a fiscal intermediary or an HMO. Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.	9D: Patient Related Revenue	Line number 5a	Report the amount received from Medicare during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicare or through a fiscal intermediary or an HMO. Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.	
14: Revenue Report	3cA: Children's Health Insurance Plan (CHIP) Prepaid	Report the amount of funds received during the reporting period from CHIP for services provided within the scope of the grantee's Title X project. If the grantee is unable to report CHIP revenue separately from Medicaid (Row 3a), indicate this in the Table 14 "Note" field. Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.	9D: Patient Related Revenue	Line number 2a	Report the amount of prepaid revenue received during the reporting period from CHIP for services provided within the scope of the grantee's Title X project.	UDS instructs grantees to report Medicaid and CHIP revenues together. FPAR requests CHIP and Medicaid revenues separately. Attempt to separate Medicaid and CHIP revenues on FPAR Table 14. If the grantee is unable to do this, include a note in the Table 14 "Note" field.
14: Revenue Report	3dA: Other public health insurance prepaid	Report the amount reimbursed by other federal, state, or local government health insurance programs during the reporting period for services provided within the scope of the grantee's Title X project. Other public health insurance programs include state or local government programs that provide a broad set of benefits and public-paid or public-subsidized private insurance programs. Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.	9D: Patient Related Revenue	Line number 8a Other Public, including Non-Medicaid CHIP (managed care capitated)	Report the amount reimbursed by other federal, state, or local government health insurance programs during the reporting period for services provided within the scope of the grantee's Title X project.	Other public health insurance programs include state or local government programs that provide a broad set of benefits and public-paid or public-subsidized private insurance programs. Only revenue from pre-paid (capitated) managed care arrangements should be reported as prepaid.
14: Revenue Report	3eA: Private health insurance prepaid	Report the amount of funds received from private third-party health insurance plans during the reporting period for services provided within the scope of the grantee's Title X project. Private health insurance include plans obtained through an employer, union, or direct purchase, including insurance purchased for public employees or retirees or military personnel and their dependents (e.g., TRICARE or CHAMPVA) that provide a broad set of primary medical care benefits for the enrolled individual (beneficiary or dependent). Only revenue from pre-paid (capitated) managed care arrangements (e.g., capitated Medicare, Medicaid, and private managed care contracts) should be reported as prepaid.	9D: Patient Related Revenue	Line number 11a Private Managed Care (capitated)	Report the amount of funds received from private third-party health insurance plans during the reporting period for services provided within the scope of the grantee's Title X project.	Private health insurance include plans obtained through an employer, union, or direct purchase, including insurance purchased for public employees or retirees or military personnel and their dependents (e.g., TRICARE or CHAMPVA) that provide a broad set of primary medical care benefits for the enrolled individual (beneficiary or dependent). Only revenue from pre-paid (capitated) managed care arrangements (e.g., capitated Medicare, Medicaid, and private managed care contracts) should be reported as prepaid.

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
14: Revenue Report	3aB: Medicaid not prepaid	Report the amount received from Medicaid (federal and state shares) during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicaid or through a fiscal intermediary or a health maintenance organization (HMO).	9D: Patient Related Revenue	Line numbers 1, 2b Medicaid Non-Managed Care, Medicaid Managed Care fee-for-service	Report the amount received from Medicaid (federal and state shares) during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicaid or through a fiscal intermediary or a health maintenance organization (HMO).	UDS instructs grantees to report Medicaid and CHIP revenues together. FPAR requests CHIP and Medicaid revenues separately. Attempt to separate Medicaid and CHIP revenues on FPAR Table 14. If the grantee is unable to do this, include a note in the Table 14 "Note" field.
14: Revenue Report	3bB: Medicare not prepaid	Report the amount received from Medicare during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicare or through a fiscal intermediary or an HMO.	9D: Patient Related Revenue	Line numbers 4, 5b Medicare Non-Managed Care, Medicaid Managed Care fee-for-service	Report the amount received from Medicare during the reporting period for services provided within the scope of the grantee's Title X project, regardless of whether the reimbursement was paid directly by Medicare or through a fiscal intermediary or an HMO.	
14: Revenue Report	3cB: Children's Health Insurance Plan (CHIP) Not prepaid	Report the amount of funds received during the reporting period from CHIP for services provided within the scope of the grantee's Title X project. If the grantee is unable to report CHIP revenue separately from Medicaid (Row 3a), indicate this in the Table 14 "Note" field.	9D: Patient Related Revenue	Lines 1, 2b	Report the amount of funds received during the reporting period from CHIP for services provided within the scope of the grantee's Title X project.	UDS instructs grantees to report Medicaid and CHIP revenues together. FPAR requests CHIP and Medicaid revenues separately. Attempt to separate Medicaid and CHIP revenues on FPAR Table 14. If the grantee is unable to do this, include a note in the Table 14 "Note" field.
14: Revenue Report	3dB: Other public health insurance not prepaid	Report the amount reimbursed by other federal, state, or local government health insurance programs during the reporting period for services provided within the scope of the grantee's Title X project. Other public health insurance programs include state or local government programs that provide a broad set of benefits and public-paid or public-subsidized private insurance programs.	9D: Patient Related Revenue	Line numbers 7, 8b	Report the amount reimbursed by other federal, state, or local government health insurance programs during the reporting period for services provided within the scope of the grantee's Title X project. Other public health insurance programs include state or local government programs that provide a broad set of benefits and public-paid or public-subsidized private insurance programs.	FPAR defines other public health insurance programs as including state or local government programs that provide a broad set of benefits and public-paid or public-subsidized private insurance programs.
14: Revenue Report	3eB: Private health insurance not prepaid	Report the amount of funds received from private third-party health insurance plans during the reporting period for services provided within the scope of the grantee's Title X project. Private health insurance include plans obtained through an employer, union, or direct purchase, including insurance purchased for public employees or retirees or military personnel and their dependents (e.g., TRICARE or CHAMPVA) that provide a broad set of primary medical care benefits for the enrolled individual (beneficiary or dependent).	9D: Patient Related Revenue	Line numbers 10, 11b Private Non-Managed Care, Private Managed Care fee-for-service	Report the amount of funds received from private third-party health insurance plans during the reporting period for services provided within the scope of the grantee's Title X project.	FPAR defines private health insurance as plans obtained through an employer, union, or direct purchase, including insurance purchased for public employees or retirees or military personnel and their dependents (e.g., TRICARE or CHAMPVA) that provide a broad set of primary medical care benefits for the enrolled individual (beneficiary or dependent).
14: Revenue Report	4A: Total third party payer prepaid revenue	Total prepaid revenue from third party payers (sum 3aA+3bA+3cA+3dA+3eA)	9D: Patient Related Revenue	Line numbers 2a, 5a, 8a, and 11a	Report the total prepaid revenue received from third party payers (capitated plans), including Medicaid, Medicare, other public health insurance, and private insurance during the reporting period for services provided within the scope of the grantee's Title X project.	
14: Revenue Report	4B: Total third party payer not prepaid revenue	Total non-prepaid revenue from third party payers (sum 3aB+3bB+3cB+3dB+3eB)	9D: Patient Related Revenue	Line numbers 1, 2b, 4, 5b, 7, 8b, 10, 11b	Report the total non-prepaid revenue received from third party payers, including Medicaid, Medicare, other public health insurance, and private insurance plans during the reporting period for services provided within the scope of the grantee's Title X project.	
14: Revenue Report	5: Total payment for services	Total payment for services from client self-pay and third party payers (sum 2+4A+4B)	9D: Patient Related Revenue	Line number 14	Report total revenue received from client self-pay and third party payers during the reporting period for services provided within the scope of the grantee's Title X project.	

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
14: Revenue Report	6: Other Revenue- Title V (MCH Block Grant)	Report the amount of Title V funds received during the reporting period that supported services provided within the scope of the grantee's Title X project.	9E Other Revenues	Line 6a State government grants or contracts	Report the amount of Title V funds received during the reporting period that supported services provided within the scope of the grantee's Title X project.	<p>Use the "last party rule" to report other revenues. The "last party rule," for UDS reporting purposes, means that grant, contract, and other funds should always be reported based on the entity from which the health center received them, regardless of their original origin. For example, funds awarded to the health center by the state for maternal and child health services usually include a mixture of federal funds, such as Title V, and state funds. Nonetheless, report these funds as state grants. Similarly, WIC funds provided by the U.S. Department of Agriculture generally pass through the state, and are reported on Line 6 as State funds, not on Line 3 as Federal funds.</p> <p>Grantee should note any issues in reporting revenues according to FPAR guidelines in the Notes section for FPAR Table 14.</p>
14: Revenue Report	7: Other Revenue- Title XX (Social Services Block Grant)	Report the amount of Title XX funds received in the reporting period that supported services provided within the scope of the grantee's Title X project.	9E Other Revenues	Line 6a State government grants or contracts	Report the amount of Title XX funds received in the reporting period that supported services provided within the scope of the grantee's Title X project.	<p>Use the "last party rule" to report other revenues. The "last party rule," for UDS reporting purposes, means that grant, contract, and other funds should always be reported based on the entity from which the health center received them, regardless of their original origin. For example, funds awarded to the health center by the state for maternal and child health services usually include a mixture of federal funds, such as Title V, and state funds. Nonetheless, report these funds as state grants. Similarly, WIC funds provided by the U.S. Department of Agriculture generally pass through the state, and are reported on Line 6 as State funds, not on Line 3 as Federal funds.</p> <p>Grantee should note any issues in reporting revenues according to FPAR guidelines in the Notes section for FPAR Table 14.</p>
14: Revenue Report	8: Other Revenue- Temporary Assistance for Needy Families (TANF)	Report the amount of TANF funds received in the reporting period that supported services provided within the scope of the grantee's Title X project.	9E Other Revenues	Line 6a State government grants or contracts	Report the amount of TANF funds received in the reporting period that supported services provided within the scope of the grantee's Title X project.	<p>Use the "last party rule" to report other revenues. The "last party rule," for UDS reporting purposes, means that grant, contract, and other funds should always be reported based on the entity from which the health center received them, regardless of their original origin. For example, funds awarded to the health center by the state for maternal and child health services usually include a mixture of federal funds, such as Title V, and state funds. Nonetheless, report these funds as state grants. Similarly, WIC funds provided by the U.S. Department of Agriculture generally pass through the state, and are reported on Line 6 as State funds, not on Line 3 as Federal funds.</p> <p>Grantee should note any issues in reporting revenues according to FPAR guidelines in the Notes section for FPAR Table 14.</p>



FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
14: Revenue Report	9: Other Revenue- Local government revenue	Report the amount of funds from local government sources (including county and city grants or contracts) that were received during the reporting period and that supported services provided within the scope of the grantee's Title X project.	9E: Other Revenues	Line 7 Local Government Grants and Contracts (specify: _____)	Report the amount of funds from local government sources (including county and city grants or contracts) that were received during the reporting period and that supported services provided within the scope of the grantee's Title X project.	
14: Revenue Report	10: Other Revenue- State government revenue	Report the amount of funds from state government sources (including grants or contracts) that were received during the reporting period and that supported services provided within the scope of the grantee's Title X project. Do not report as "state government revenue" funding from sources like the Centers for Disease Control and Prevention (CDC) or block grant funds that are awarded to and distributed by the state. Report these revenues as "Other revenue" and specify their sources.	9E: Other Revenues	Line 6 State Government Grants and Contracts	Report the amount of funds from state government sources (including grants or contracts) that were received during the reporting period and that supported services provided within the scope of the grantee's Title X project.	UDS guidance states: Use the "last party rule" to report other revenues. The "last party rule," for UDS reporting purposes, means that grant, contract, and other funds should always be reported based on the entity from which the health center received them, regardless of their original origin. For example, funds awarded to the health center by the state for maternal and child health services usually include a mixture of federal funds, such as Title V, and state funds. Nonetheless, report these funds as state grants. FPAR Guidance is different. Do not report as "state government revenue" funding from sources like the Centers for Disease Control and Prevention (CDC) or block grant funds that are awarded to and distributed by the state. Report these revenues as "Other revenue" and specify their sources.  Grantee should note any issues in reporting revenues according to FPAR guidelines in the Notes section for FPAR Table 14.
14: Revenue Report	11: Other Revenue- Bureau of Primary Health Care	Report the amount of revenue received from BPHC grants (e.g., Section 330) during the reporting period that supported services provided within the scope of the grantee's Title X project.	9E: Other Revenues	Line 1 Total BPHC Grants	Report the amount of revenue received from BPHC grants (e.g., Section 330) during the reporting period that supported services provided within the scope of the grantee's Title X project.	
14: Revenue Report	12: Other Revenue- Specify	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project. This may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.	9E: Other Revenues	Line 3 Other Federal Grants (specify:_____)	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project.	FPAR guidance state that other insurance may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.
14: Revenue Report	13: Other Revenue- Specify	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project. This may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.	9E: Other Revenues	Line 10 Other Revenue	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project.	This may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.
14: Revenue Report	14: Other Revenue- Specify	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project. This may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.				
14: Revenue Report	15: Other Revenue- Specify	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project. This may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.				
14: Revenue Report	16: Other Revenue-Specify	Report the amount and specify the source of funds received during the reporting period from other sources that supported services provided within the scope of the grantee's Title X project. This may include revenue from such sources as the CDC (infertility, STD, or HIV prevention; breast and cervical cancer detection), private grants and donations, fundraising, interest income, or other sources.				
14: Revenue Report	17: Total- Other Revenue	Total "Other Revenue" received during the reporting period (sum 6+7+8+9+10+11+12+13+14+15+16)	9E: Other Revenues	Line 11 Total Revenue	Report total revenue from Title V, Title XX, TANF, local government revenue, state government revenue, BPHC revenue, and other revenue received during the reporting period that support services provided within the scope of the grantee's Title X project.	

FPAR Table	FPAR Data Element	Directions for Reporting to FPAR	UDS Table	UDS Data element	Directions for Reporting to FPAR	Notes on UDS & FPAR Alignment
14: Revenue Report	18: Total Revenue	Total revenue from Title X, Payment for Services, and Other Revenue (sum totals in 1+5+17)	9D Patient Related Revenue 9E Other Revenues	Table 9D Line 14 Table 9E Line 11	Total revenue from third party payers, self-pay, and other revenues collected during the reporting period that supported services provided within the scope of the grantee's Title X project.	Total revenue that supported services provided within the scope of the grantee's Title X project.